

# ジブロックコポリマーの *Fddd* 構造に関する研究 *Fddd* structure in diblock copolymer melts

竹中幹人<sup>1</sup>、松田邦明<sup>1</sup>、金明任<sup>1</sup>、長谷川博一<sup>1</sup>  
1 京大院工

We previously confirmed *Fddd* structure exists as an equilibrium structure in polystyrene-block-polyisoprene (SI) diblock copolymer melts in polyisoprene (PI) rich region. Then, we determined the stable region of *Fddd* structure in the phase diagram of SI diblock copolymers. In this study, we have investigated whether *Fddd* structure is formed in polystyrene (PS) rich region by using small-angle X-ray scattering (SAXS) and transmission electron microscopy. We found the *Fddd* region in PS-rich region and the region exists as an equilibrium phase. As found in *Fddd* structure in PI-rich region, the ratio of unit cell parameters (*a*:*b*:*c*) estimated from the peak positions of the scattering function agrees with the result of the theoretical calculation by Tyler et al., and the higher order reflections 022, and 004 overlaps with the reflection 111 at the first order peak.




Fig.1 *Fddd* region in S-I diblock copolymer melts.