
4B2**2000**

Y.Kubota, M.Takata, M.Sakata, T.Ohba, K.Kifune and T.Tadaki

A Charge Density Study of the Intermetallic Compound MgCu₂ by the Maximum Entropy Method
J. Phys.: Condens. Matter, **12** (2000) 1253.

H.Toraya

Crystal Structure Refinement of a-Si₃N₄ Using Synchrotron Radiation Powder Diffraction Data: Unbiased Refinement Strategy
J. Appl. Cryst., **33** (2000) 95.

H.Toraya

Crystal Structure Refinement of a-Si₃N₄ Using Synchrotron Radiation Powder Diffraction Data
Rigaku Denki J., **31** (2000) 19. (*in Japanese*).

S.Yamazaki and H.Toraya

Influences of Sample Conditions on Crystal Structure Analysis Using Synchrotron Radiation Powder Diffraction Data
Annual Rep. Ceram. Res. Lab. Nagoya Inst. Tech., **10** (2000) 17. (*in Japanese*).

2001

T.Ida

Model Peak Profile Functions for Powder Diffractometry as Convolutions with Instrumental Functions
Rigaku Denki J., **32** (2001) 24. (*in Japanese*).

N.Sakai, T.Hashimoto, T.Katsube, K.Yamaji, H.Negishi, T.Horita, H.Yokokawa, Y.P.Xiong, M.Nakagawa and Y.Takahashi
Miscibility Gap in CeO₂-ZrO₂-YO_{1.5} System as an Electrode of Solid Oxide Fuel Cell
Solid State Ionics, **143** (2001) 151.

T.Hashimoto, K.Tsuda, J.Shiono, J.Mizusaki and M.Tanaka
Determination of the Crystal System and Spcae Group of BaBiO₃ by Convergent-Beam Electron Diffraction and X-Ray Diffraction Using Synchrotron Radiation
Phys. Rev. B, **64** (2001) 224114-1.

Y.Tanahashi, H.Nakamura, S.Yamazaki, Y.Kojima, H.Sato, T.Ida and H.Toraya
Ab initio Structure Determination of Monoclinic 2,2-Dihydroxy-Methylbutanoic Acid from Synchrotron Radiation Powder Diffraction Data: Combined use of Direct Methods and the Monte Carlo Method
Acta Cryst. B, **57** (2001) 184.

H.Nakamura, S.Yamazaki, T.Ohnishi, T.Ida and H.Toraya
The Monte Carlo Method for Finding Missing Atoms in Solving Crystal Structures from Powder Diffraction Data without Applying a Rigid-Body Approximation
Powder Diffraction, **16** (2001) 68.

S.Yamazaki and H.Toraya

X-Ray Powder Data for MgMnSiO₄ and Mg_{0.6}Mn_{1.4}SiO₄ Powder Diffraction, **16** (2001) 115.

S.Yamazaki and H.Toraya

Determination of Positions of Zeolitic Calcium Atoms and Water Molecules in Hydrothermally Formed Aluminum-Substituted Tobermorite-1.1nm Using Synchrotron Radiation Powder Diffraction Data
J. Am. Ceram. Soc., **84** (2001) 2685.

H.Toraya

Crystal Structure Analysis Using High-Resolution Synchrotron Radiation Powder Diffraction Data
J. Ceram. Soc. Jpn., **109** (2001) 903.

Y.Liu, C.Xu, H.Liu, H.Toraya and T.Watanabe

Phase Analysis of PZT 52/48 Thin Films by Synchrotron XRD
J. Mater. Sci. Lett., **20** (2001) 933.

T.Ida, H.Hibino and H.Toraya

Peak Profile Function for Synchrotron X-Ray Diffractometry
J. Appl. Cryst., **34** (2001) 144.

H.Toraya

Crystal Structure Analysis Using Hight-Resolution Radiation Powder Diffraction Data
Jpn. Mg. Mineral .Petrol. Sci., **30** (2001) 72. (*in Japanese*).

Y.Noguchi, M.Miyayama and T.Kudo

Direct Evidence of A-Site-Deficient Strontium Bismuth Tantalate and Its Enhanced Ferroelectric Properties
Phys. Rev. B, **63** (2001) 214102.

H.Irie, M.Miyayama and T.Kudo

Enhanced Ferroelectric Properties of V-Doped BaBi₄Ti₄O₁₅ Single Crystal
Jpn. J. Appl. Phys., **40** (2001) 239.

H.Irie, M.Miyayama and T.Kudo

Structure Dependence of Ferroelectric Properties of Bismuth Layer-Strctured Ferroelectrics
J. Appl. Phys., **90** (2001) 4089.

H.Horiuchi, T.Shishido, A.Saitow, M.Tanaka and S.Hosoya

Perovskite-type BaXO₃: Its Structural Control by Selection of Ionic Radius of X
Materials Science and Engineering, **A312** (2001) 237.

H.Horiuchi, H.Hoshino, T.Shishido and M.Tanaka

Deformation and Transition in Crystal Structures of Perovskite-type ABO₃ due to Substitution of Ions
Ann. Rep. Inst. Mat. Res., Tohoku Univ., (2001) 204. (*in Japanese*).

2002

H.Toraya and S.Yamazaki

Simulated Annealing Structure Solution of a New Phase of Dicalcium Silicate Ca_2SiO_4 and the Mechanism of Structural Changes from α -Dicalcium Silicate Hydrate to α_L -Dicalcium Silicate via the New Phase
Acta Cryst. B, **58** (2002) 613.

H.Irie, M.Miyayama and T.Kudo

Effects of Ta, Nb and V Substitution at Ti Site on Ferroelectric Properties in $\text{BaBi}_4\text{Ti}_4\text{O}_{15}$ Single Crystal
Key Engineering Materials, **214-215** (2002) 31.

2003

H.Toraya, H.Hibino, T.Ida and N.Kuwano

Quantitative Basis for the Rocking-Curve Measurement of Preferred Orientation in Polycrystalline Thin Films
J. Appl. Cryst., **36** (2003) 890.

H.Ohsato, Y.Futamata, H.Sakashita, N.Araki, K.Kakimoto and S.Nishigaki

Configuration and Coordination Number of Cation Polyhedra of Tungstenbronze-Type-Like $\text{Ba}_{6-3x}\text{R}_{8+2x}\text{Ti}_{18}\text{O}_{54}$ Solid Solutions
J. Eur. Ceram. Soc., **23** (2003) 2529.

T.Ida, H.Hibino and H.Toraya

Deconvolution of Instrumental Aberrations for Synchrotron Powder X-Ray Diffractometry
J. Appl. Cryst., **36** (2003) 181.

N.Ozaki, K.Ohnuma, K.Kakimoto, H.Ohsato, N.Kozu and H.Kishi

Crystallographic Study on Rear-Earth Doped BaTiO_3 Shell Phase for MLCC Application
Ceramic Engineering and Science Proceedings, **24** (2003) 9.

T.Chiba, H.Horiuchi, S.Tozawa and T.Shishido

Structural Change of Perovskite-Type ABO_3 due to Ionic Substitution
Ann. Rep. Lab. Adv. Mat., IMR, Tohoku Univ., (2003) 209. (in Japanese).

2004

H.Ohsato, N.Ozaki, K.Ohnuma, Y.Mizuno, T.Hagiwara, K.Kakimoto and H.Kishi

Solubility of Ho Ions in Ho and Mg Co-Doped BaTiO_3 Analyzed by Rietveld Method and EXAFS
Ferroelectrics, **302** (2004) 265.

I.Masuda, K.Kakimoto and H.Ohsato

Ferroelectric Property and Crystal Structure of KNbO_3 -Based Ceramics
J. Electroceramics, **13** (2004) 555.

T.Shibusaki, T.Furuya, S.Wang and T.Hashimoto

Crystal Structure and Phase Transition Behavior of $\text{La}_{1-x}\text{Sr}_x\text{Ga}_{1-y}\text{Mg}_y\text{O}_{3-\delta}$
Solid State Ionics, **174** (2004) 193.

K.Kakimoto, I.Masuda and H.Ohsato

Ferroelectricity and Solid-Solution Structure of KNbO_3 Ceramics Doped with La and Fe
Key Eng. Mater., **269** (2004) 7.

K.Kakimoto, I.Masuda and H.Ohsato

Solid-Solution Structure and Piezoelectric Property of KNbO_3 Ceramics Doped with Small Amounts of Elements
Jpn. J. Appl. Phys., **43** (2004) 6706.

H.Horiuchi, M.Tanaka, A.Kaga, S.Tozawa and T.Shishido

Structural Change of Perovskite-Type ABO_3 due to Ionic Substitution - Crystal Structures of $\text{Ba}(\text{Pr}_x, \text{Zr}_{1-x})\text{O}_3$ Solid Solution -
Ann. Rep. Lab. Adv. Mat., IMR, Tohoku Univ., (2004) 183. (in Japanese).

2005

T.Ida

Connection of Segmented Intensity Data Measured with a Multiple-Detector System for Powder Diffractometry
J. Appl. Cryst., **38** (2005) 795.

H.Ohsato, M.Suzuki and K.Kakimoto

Ionic Distribution and Microwave Dielectric Properties for Tungstenbronze-Type like $\text{Ba}_{6-3x}\text{R}_{8+2x}\text{Ti}_{18}\text{O}_{54}$ ($\text{R} = \text{Sm}, \text{Nd}, \text{and La}$) Solid Solutions
Ceramic Engineering and Science Proc., **26** (2005) 135.

K.Yokoyama, K.Kakimoto, J.Kinoshita, Y.Maeda and H.Ohsato

Electrical Properties of Quaternary Pyrochlore Ruthenates for Thick-Film Resistors
Ceramic Engineering and Science Proc., **26** (2005) 203.

T.Ishikawa, K.Ohnuma, K.Kakimoto, H.Ohsato and Y.Mizuno

Structure Analysis of Eu and Nd Substitution for BaTiO_3 Ceramics
Extended Abstract of the 12th US-Japan Seminar on Dielectric and Piezoelectric Ceramics, (2005) 345.

T.Fukano, T.Motohiro, T.Ida and H.Hashizume

Ionization Potentials of Transparent Conductive Indium Tin Oxide Films Covered with a Single Layer of Fluorine-Doped Tin Oxide Nanoparticles Grown by Spray Pyrolysis Deposition
J. Appl. Phys., **97** (2005) 084314.

T.Ida and Y.Iwata

Correction for Counting Losses in X-Ray Diffractometry
J. Appl. Cryst., **38** (2005) 426.

H.Horiuchi, S.Tozawa and T.Shishido

Structural Properties of Perovskite-type ABO_3 due to Ionic Substitution - On the Crystal Structures of $\text{Ba}(\text{Tb}_x, \text{Zr}_{1-x})\text{O}_3$ Solid Solution -
Ann. Rep. Lab. Adv. Mat., IMR, Tohoku Univ., (2005) 193. (in Japanese).

M.Yashima, M.Tanaka, K.Oh-uchi and T.Ida
A Compact Furnace for Synchrotron Powder Diffraction Measurements up to 1807 K
J. Appl. Crystallogr., **38** (2005) 854.

K.Kakimoto, I.Masuda and H.Ohsato
Lead-Free KNbO₃ Piezoceramics Synthesized by Pressure-Less Sintering
J. Eur. Ceram. Soc., **25** (2005) 2719.

2006

M.Yashima, K.Oh-uchi, M.Tanaka and T.Ida
A Compact Furnace for Synchrotron Powder Diffraction Experiments up to 1800 K
J. Am. Ceram. Soc., **89** (2006) 1395.

T. Ida and H. Hibino
Symmetrization of Diffraction Peak Profiles Measured with a High-Resolution Synchrotron X-Ray Powder Diffractometer
J. Appl. Cryst., **39** (2006) 90.

Y.Horibe, M.Shingu, K.Kurushima, H.Ishibashi, N.Ikeda, K.Kato, Y.Motome, N.Furukawa, S.Mori and T.Katsufuji
Spontaneous Formation of Vanadium "Molecules" in a Geometrically Frustrated Crystal: AlV₂O₄
Phys. Rev. Lett., **96** (2006) 086406.

M.Yashima, M.Tanaka, K.Oh-uchi and T.Ida
Development of High-Temperature and High-Resolution Synchrotron Powder Diffraction Method
Report of the 172nd University-Industry Cooperative Committee on Alloy Phase Diagrams of the JSPS, **6** (2006) 1. (*in Japanese*).

Y.Tohdo, K.Kakimoto, H.Ohsato, H.Yamada and T.Okawa
Microwave Dielectric Properties and Crystal Structure of Homologous Compounds ALa₄Ti₄O₁₅ (A = Ba, Sr and Ca) for Base Station Applications
J. Eur. Ceram. Soc., **26** (2006) 2039.

M.Yashima, M.Tanaka and T.Ida
(Invited report) Development of a new system which enables the high-resolution synchrotron powder diffraction measurements with shorter time and heating the sample up to 1800 K, Visualization of the electron density distribution of ceria at high temperature of 1703 K
Bull. Ceram. Soc. Jpn., **41** (2006) 311. (*in Japanese*).

T.Ida and H.Hibino
Development of Analytical Method for Diffraction Intensity Data Measured with a High-Resolution Synchrotron X-ray Powder Diffractometer with Multiple-Detector System
Annual Rep. Ceramics Res. Lab, Nagoya Inst.Tech., **5** (2006) 1. (*in Japanese*).

M.Yashima and S.Tsunekawa
Structures and the Oxygen Deficiency of Tetragonal and Monoclinic Zirconium Oxide Nanoparticles
Acta Cryst. B, **61** (2006) 161.

K.Kakimoto, K.Higashide and H.Ohsato
Microstructure and Dielectric Property of KNbO₃ Ceramics with KVO₃ Addition
Advanced Materials Research, **11** (2006) 105.

2007

M.Yashima and Y.Kawaike
Crystal Structure and Site Preference of Ba-Doped-Tricalcium Phosphate (Ca_{1-x}Ba_x)₃(PO₄)₂ through High-Resolution Synchrotron Powder Diffraction (x = 0.05 to 0.15)
Chem. Mater., **19** (2007) 3973.

M.Yashima
Crystal Structure and Electron Density of Inorganic Materials Studied by High-Resolution Synchrotron Powder Diffractometry
J. Crystallogr. Soc. Jpn., **49** (2007) 354. (*in Japanese*).

M.Yashima, Y.Lee and K.Domen
Crystal Structure and Electron Density of Tantalum Oxynitride TaON, a Visible Light Responsive Photocatalyst
Chem. Mater., **19** (2007) 588.

H.Tsue, M.Horiguchi, R.Tamura, K.Fujii and H.Uekusa
Crystal Structure Solution of Organic Compounds from X-Ray Powder Diffraction Data
J. Synthetic Organic Chemistry Jpn., **65** (2007) 1203. (*in Japanese*).

M.Yashima, Y.Ando and Y.Tabira
Crystal Structure and Electron Density of α -Silicon Nitride: Experimental and Theoretical Evidence for the Covalent Bonding and Charge Transfer
J. Phys. Chem. B, **111** (2007) 3609.

M.Terada, K.Kawamura, I.Kagomiya, K.Kakimoto and H.Ohsato
Effect of Ni Substitution on the Microwave Dielectric Properties of Cordierite
J. Euro. Ceramic Soc., **27** (2007) 3045.

K.Kakimoto, T.Hotta and H.Ohsato
Structural Characterization of Lead-Free(Li, Na, K)NbO₃ Piezoceramics
The 13th US-Japan Seminar on Dielectric and Piezoelectric Ceramics, (2007) 43.

2008

D.A.-Jove, Z.Pan, K.D.M.Harris and H.Uekusa
A Solid-State Dehydration Process Associated with a Significant Change in the Topology of Dihydrogen Phosphate Chains, Established from Powder X-Ray Diffraction
Crystal Growth and Design, **8** (2008) 3641.

S.Ohi, A.Miyake, N.Shimobayashi, M.Yashima and M.Kitamura
An Isosymmetric Phase Transition of Orthopyroxene Found by High-Temperature X-Ray Diffraction
Am. Mineral., **93** (2008) 1682.

S.Nishimura, S.Hayase, R.Kanno, M.Yashima, N.Nakayama and A.Yamada
Structure of $\text{Li}_2\text{FeSiO}_4$
J. Am. Chem. Soc., **130(40)** (2008) 13212.

M.Yashima
Crystal Structure-Property Correlation in Ionic and Mixed Conductors and Photocatalyst
Bull. Ceram. Soc. Jpn., **43** (2008) 922. (*in Japanese*).

T.Wakita and M.Yashima,
Phase Transition and Structural Disorder of the Ceria-Zirconia Solid-Solution Catalyst for Exhaust Gas Cleaning
Fine Chemicals, **37[12]** (2008) 23. (*in Japanese*).

T.Wakita and M.Yashima
Structural Disorder in the Cubic $\text{Ce}_{0.5}\text{Zr}_{0.5}\text{O}_2$ Catalyst, A Possible Factor of the High Catalytic Activity
Appl. Phys. Lett., **92** (2008) 101921.

T.Ida, A.Oya and H.Hibino
Statistical Properties of Measured Intensity Affected by Counting Losses of Detection Systems
Annual Rep. Ceramics Res. Lab. Nagoya Inst. Tech., **7** (2008) 1. (*in Japanese*).

K.Fujii, Y.Ashida, H.Uekusa, S.Hirano, S.Toyota, F.Toda, Z.Pan and K.D.M.Harris
Vapour Induced Crystalline Transformation Investigated by *ab initio* Powder X-Ray Diffraction Analysis
Cryst. Growth Des., **9** (2008) 1201.

M.Yashima and T.Wakita
Success in the Visualization of Structural Disorders of the Automotive Exhaust Gas Catalyst, Ceria-Zironia
Bull. Ceram. Soc. Jpn., **43** (2008) 434. (*in Japanese*).

M.Yashima
Visualization of Chemical Bonding and Structural Disorders from Diffraction Experiments
Proc. Int'l. Conf. Contemporary Physics-IV, (2008) 395.

M.Yashima, K.Ogisu and K.Domen
Structure and Electron Density of Oxysulfide $\text{Sm}_2\text{Ti}_2\text{S}_2\text{O}_{4.9}$, a Visible-Light-Responsive Photocatalyst
Acta Cryst. B, **64** (2008) 291.

K.Kakimoto
Material Design of Alkaline Niobate Piezoelectric Ceramics
Key Engineering Materials, **368** (2008) 1879.

R.Ali, M.Yashima, Y.Matsushita, H.Yoshioka, K.Ohoyama and F.Izumi
Diffusion Path of Oxide Ions in an Apatite-Type Ionic Conductor $\text{La}_{9.69}(\text{Si}_{5.70}\text{Mg}_{0.30})\text{O}_{26.24}$
Chem. Mater., **20** (2008) 5203.

T.Hotta, K.Kakimoto and H.Ohsato
Temperature Dependence of Raman Spectrum of Lead-Free Piezoelectric $(\text{Na}_{0.5}\text{K}_{0.5})\text{NbO}_3\text{-LiNbO}_3$ Ceramics
Key Engineering Materials, **368** (2008) 1893.

S.Nishimura, G.Kobayashi, K.Ohoyama, R.Kanno, M.Yashima and A.Yamada
Experimental Visualization of Lithium Diffusion in Li_xFePO_4
Nature Mater., **7** (2008) 707.

T.Ikeda, T.Nishide, H.Nakajima, A.Kawai, Y.Kiyozumi, T.Kodaira and F.Mizukami
Pseudo-Micropores Formed by One-Dimensional Framework with Hydrogen Bonding in CsHSi_2O_5 Observed by Synchrotron Powder Diffraction and Solid-State MAS NMR
New J. Chem., **32** (2008) 2108.

2009

M.Yashima
Chapter 10. MEM analysis, 10.4 Electron/Nuclear Density and Disorder Analysis by MEM and MPF analysis
Handbook of Powder X-ray Diffraction Analysis, Second Edition, Asakura Pub. Co., (2009) 175. (*in Japanese*).

M.Yashima
Chapter 13. X-Ray Structure Analysis through Actual Examples, H. Structure Analysis of Structural Materials Handbook of Powder X-ray Diffraction Analysis, Second Edition, Asakura Pub. Co., (2009) 244. (*in Japanese*).

M.Yashima
Chapter 13. X-Ray Structure Analysis through Actual Examples, I. Structure and Electron/Nuclear Density Analyses of Catalysts
Handbook of Powder X-ray Diffraction Analysis, Second Edition, Asakura Pub. Co., (2009) 246. (*in Japanese*).

G.Kobayashi, S.Nishimura, M.-S.Park, R.Kanno, M.Yashima, T.Ida and A.Yamada
Isolation of Solid Solution Phases in Size-Controlled Li_xFePO_4 at Room Temperature
Adv. Funct. Mater., **19** (2009) 395.

M.Yashima and T.Komatsu
Order-Disorder and Displacive Components in the Ferroelectric-Paraelectric Phase Transition of Potassium Titanyl Phosphate KTiOPO_4
Chem. Comm., (2009) 1070.

K.Fuji and H.Uekusa
Solid State Photo-Reaction and Transformation of 5-Methyl-2-Pyridone Co-Crystal Investigated by ab initio Powder X-Ray Diffraction Analysis
J. Cryst. Soc. Jpn., **50** (2009) 335. (*in Japanese*).

M.Yashima and T.Wakita
Atomic Displacement Parameters and Structural Disorder of Oxygen Ions in the $\text{Ce}_x\text{Zr}_{1-x}\text{O}_2$ Solid Solutions ($0.12 \leq x \leq 1.0$): Possible Factors of High Catalytic Activity of Ceria-Zirconia Catalysts
Appl. Phys. Lett., **94** (2009) 171902.

T.Ohzeki, Y.Ogata, K.Tsuda and T.Hashimoto
Construction of Structural Phase Diagram of $\text{LaGa}_{1-x}\text{Mg}_x\text{O}_{3-\delta}$ by using Various Diffraction Measurements and Thermal Analyses—Effect of Long Period Anti-Phase Domain Structure on Phase Diagram—Electrochemistry, **77** (2009) 169.

M.Yashima
Diffusion Pathway of Mobile Ions and Crystal Structure of Ionic and Mixed Conductors - A Brief Review
J. Ceram. Soc. Jpn., **117** (2009) 1055.

M.Yashima
Diffusion Paths of Mobile Ions Studied by Precise Structure Analysis of Powder Diffraction Data Measured *in situ* at High Temperatures
J. Cryst. Soc. Jpn., **51** (2009) 153. (*in Japanese*).

D.Hashizume and M.Yashima
Chapter 8. Measurements for Structure Analysis; 8.4 Synchrotron Powder Diffraction Measurements
Handbook of Powder X-ray Diffraction Analysis, Second Edition, Asakura Pub. Co., (2009) 142. (*in Japanese*).

2010

M.Yashima, N.Sirikanda and T.Ishihara
Crystal Structure, Diffusion Path, and Oxygen Permeability of a Pr_2NiO_4 -Based Mixed Conductor $(\text{Pr}_{0.9}\text{La}_{0.1})_2(\text{Ni}_{0.74}\text{Cu}_{0.21}\text{Ga}_{0.05})\text{O}_{4+d}$
J. Am. Chem. Soc., **132** (2010) 2385.

M.Yashima
Crystal Structure Analysis of Catalysts
Radioisotopes, **59** (2010) 221. (*in Japanese*).

K.Fuji, Y.Ashida, H.Uekusa, F.Guob and K.D.M.Harris
Selective Transformation Pathways between Crystalline Forms of an Organic Material Established from Powder X-Ray Diffraction Analysis
Chem. Commun., **46** (2010) 4264.

K.Fuji, H.Uekusa, N.Itoda, G.Hasegawa, E.Yonemochi, K.Terada, Z.Pan and K.D.M.Harris
Physicochemical Understanding of Polymorphism and Solid-State Dehydration/Rehydration Processes for the Pharmaceutical Material Acrinol, by ab initio Powder X-Ray Diffraction Analysis and Other Techniques
J. Phys. Chem. C, **114** (2010) 580.

S.Ohi, A.Miyake and M.Yashima
Stability Field of the High-Temperature Orthorhombic Phase in the Enstatite-Diopside System
American Mineralogist, **95** (2010) 1267.

T.Ida, T.Goto and H.Hibino
Effect of Particle Statistics in Synchrotron Powder Diffractometry
Annual Report of the Ceramics Research Laboratory Nagoya Institute of Technology, **9** (2010) 1. (*in Japanese*).

M.Ibuki, S.Ohi, A.Tsuchiyama and T.Hirajima
Analysis of Mn-Bearing Lawsonite Occurring in Meta-Siliceous Rocks in Hakoishi Serpentinite Melange of Kurosegawa Belt, Central Kyusyu, Japan
J. Mineralogical and Petrological Sciences, **105** (2010) 340.