
NE5C

2000

K.Tsuji and M.Ohtani
Structure of Liquid Iodine under Pressure
Proc. of AIRAPT-17, Hawaii, 1999, (2000) 514.

M.Ohtani, K.Tsuji, N.Hosokawa and N.Funamori
Structure of Liquid Germanium under Pressure
Proc. of AIRAPT-17, Hawaii, 1999, (2000) 499.

2001

O.Ohtaka, H.Fukui, T.Kunisada, T.Fujisawa,
K.Funakoshi, W.Utsumi, T.Irifune, K.Kuroda and
T.Kikegawa
Phase Relations and Equations of State of ZrO_2 under
High Temperature and High Pressure
Phys. Rev. B, **63** (2001) 174108.

K.Kusaba
Second-Order Phase Transition of FeS under High
Pressure and Temperature
J. Cryst. Soc. Jpn., **43** (2001) 180. (*in Japanese*).

O.Ohtaka, H.Fukui, T.Kunisada, T.Fujisawa,
K.Funakoshi, W.Utsumi, T.Irifune, K.Kuroda and
T.Kikegawa
Phase Relations and Volume Changes of Hafnia under
High Pressure and High Temperature
J. Am. Chem. Soc., **84** (2001) 1369.

K.Kusaba, E.Ohshima, Y.Sono and T.Kikegawa
High-Pressure Phases of V_2O_5 : an Application of an
in situ X-Ray Observation Method to High-Pressure
Synthesis of Materials
J. Cryst. Growth, **229** (2001) 467.

T.Horikawa, K.Suito, M.Kobayashi and A.Onodera
Time-Resolved X-Ray Diffraction Study of C_{60} at High
Pressure and Temperature
Phys. Lett. A, **287** (2001) 143.

Y.Fukai, Y.Shizuku and Y.Kurokaawa
Superabundant Vacancy Formation in Ni-H Alloys
J. Alloys and Compounds, **329** (2001) 195.

2002

H.Takebe, D.Sakamoto, O.Ohtaka, H.Fukui, A.Yoshiasa,
T.Yamanaka, K.Ota and T.Kikegawa
Ionic Conductivity Measurements of Zirconia under
Pressure Using Impedance Spectroscopy
J. Phys.: Condens. Matter, **14** (2002) 11507.

T.Tsuchiya, K.Kawamura, O.Ohtaka, H.Fukui and
T.Kikegawa
Precise Measurement of Equation-of-State and Elastic
Properties for GaN up to 16 GPa
Solid State Commun., **121** (2002) 555.

O.Ohtaka, H.Fukui, K.Funakoshi, W.Utsumi, T.Irifune
and T.Kikegawa
Phase Relations and EOS of ZrO_2 and HfO_2 under High-
Temperature and High-Pressure
High Pressure Res., **22** (2002) 221.

K.Kusaba and T.Kikegawa
A New High-Pressure Phase of ZnSe with B9-Type
Structure
J. Phys. Chem. Solids, **63** (2002) 651.

Y.Fukai, T.Haraguchi, H.Shinomiya and K.Mori
Constitution of the Mn-H System at High Hydrogen
Pressures
Scripta Materialia, **46** (2002) 679.

Y.Shizuku, S.Yamamoto and Y.Fukai
Phase Diagram of the Ni-H System at High Hydrogen
Pressures
J. Alloys and Compounds, **336** (2002) 159.

Y.Fukai and M.Mizutani
Phase Diagram and Superabundant Vacancy Formation
in Cr-H Alloys
Mater. Trans., **43** (2002) 1079.

D.Sakamoto, A.Yoshiasa, T.Yamanaka, O.Ohtaka and
K.Ota
Electric Conductivity of Olivine under Pressure
Investigated Using Impedance Spectroscopy
J. Phys.: Condens. Matter, **14** (2002) 11375.

T.Horikawa, K.Suito, M.Kobayashi and A.Onodera
Time-Resolved X-Ray Diffraction Measurement of C_{60}
under High Pressure and Temperature using Synchrotron
Radiation.
J. Phys.: Condens. Matter, **14** (2002) 10483.

T.Hattori, N.Tagu, Y.Takasugi, T.Mori and K.Tsuji
Structure of Liquid GaSb under Pressure
J. Non-Cryst. Solids, **312-314** (2002) 26.

N.Funamori and K.Tsuji
Pressure-Induced Structural Change of Liquid Silicon
Phys. Rev. Lett., **88** (2002) 255508.

T.Hattori, N.Tagu, Y.Takasugi, T.Mori and K.Tsuji
Structure of Liquid GaSb under Pressure
J. Phys.: Condens. Matter, **14** (2002) 10517.

A.Yao, Y.Matsuoka, S.Komiyama, I.Yamada, K.Suito,
S.Kawasaki, F.Okino and H.Touhara
Structural Properties of Fluorinated Fullerenes at High
Pressures and High Temperatures
Solid State Sciences, **4** (2002) 1443.

2003

Y.Katayama and K.Tsuji
X-Ray Structural Studies on Elemental Liquids under
High Pressure
J. Phys.: Condens. Matter, **15** (2003) 6085.

T.Hattori, K.Tsuji, N.Taga, Y.Takasugi and T.Mori
Structural Investigation on Liquid GaSb at Pressures up
to 20 GPa
Phys. Rev. B, **68** (2003) 224106.

S.Kawasaki, Y.Matsuoka, A.Yao, F.Okino and
H.Touhara
High Pressure Behavior of Single-Walled Carbon
Nanotubes and Polymerized Fullerenes
J. Phys. Chem. Solids, **65** (2003) 327.

S.Kawasaki, Y.Matsuoka, A.Yao, I.Yamada,
S.Komiyama, F.Okino, H.Touhara and K.Suito
Elastic Properties of Pressure-Polymerized Fullerenes
Solid State Commun., **125** (2003) 637.

M.Imai and T.Kikegawa
Phase Transitions of Alkaline-Earth-Metal Disilicides
 $M_{AE}Si_2$ (M_{AE} =Ca, Sr, and Ba) at High Pressures and
High Temperatures
Chem. Mater., **15** (2003) 2543.

H.Fukui, O.Ohtaka, T.Fujisawa, T.Kunisada, T.Suzuki
and T.Kikegawa
Thermo-Elastic Property of $Ca(OH)_2$ Portlandite
High Pressure Res., **23** (2003) 55.

2004

N.Funamori, S.Yamamoto, T.Yagi and T.Kikegawa
Exploratory Studies of Silicate Melt Structure at High
Pressures and Temperatures by in situ X-Ray Diffraction
J. Geophys. Res., **109** (2004) B03203.

S.Kawasaki, Y.Matsuoka, T.Yokomae, Y.Nojima,
F.Okino, H.Touhara and H.Kataura
Effect of a Liquid Pressure-Transmitting Medium on the
High Pressure Behavior of Open- and Closed-End Single-
Walled Carbon Nanotubes and C_{60} -Peapods
Phys. Stat. Sol. (b), **241** (2004) 3512.

O.Ohtaka, M.Shimono, N.Ohnishi, H.Fukui, H.Takebe,
H.Arima, T.Yamanaka, T.Kikegawa and S.Kume
HIP Production of a Diamond/SiC Composite and
Application to High-Pressure Anvils
Phys. Earth Planet. Inter., **143-144** (2004) 587.

T.Hattori, K.Tsuji, T.Kinoshita and T.Narushima
Pressure Dependence of the Structure of Liquid InAs up
to 13 GPa
J. Phys.: Condens. Matter, **16** (2004) S997.

K.Tsuji, T.Hattori, T.Mori, T.Kinoshita, T.Narushima
and N. Funamori
Pressure-Dependence of the Structure of Liquid Group 14
Elements
J. Phys.: Condens. Matter, **16** (2004) S989.

2005

S.Kawasaki, Y.Matsuoka, T.Yokomae, Y.Nojima,
F.Okino, H.Touhara and H.Kataura
XRD and TEM Study of High Pressure Treated Single-
Walled Carbon Nanotubes and C_{60} -Peapods
Carbon, **43** (2005) 37.

Y.Nishihara, I.Aoki, E.Takahashi, K.Matsukage and
K.Funakoshi
Thermal Equation of State of Majorite with MORB
Composition
Phys. Earth Planet. Inter., **148** (2005) 73.

O.Ohtaka, N.Ohnishi, K.Kubo, H.Arima, H.Fukui,
T.Yamanaka, K.Miyamoto, S.Inamura, T.Kikegawa and
M.Shimono
High-Pressure and High-Temperature Generation using
Diamond/SiC Composite Anvils Prepared with Hot
Isostatic Pressing
High Pressure Res., **25** (2005) 11.

T.Narushima, T.Kinoshita, T.Hattori and K.Tsuji
Pressure Dependence of the Structure of Liquid II-VI
Compounds up to 20 GPa
Proc. 20th AIRAPT, (2005) T2-O80.

T.Kinoshita, T.Hattori, T.Narushima and K.Tsuji
Pressure-Induced Drastic Structural Change in Liquid
CdTe
Phys. Rev. B, **72** (2005) 060102.

T.Hattori, T.Kinoshita, N.Taga, Y.Takasugi, T.Mori and
K.Tsuji
Pressure and Temperature Dependence of the Structure
of Liquid InSb
Phys. Rev. B, **72** (2005) 064205.

C.Sekine, K.Kiho, N.Araseki, T.Namiki, S.Sato,
R.Nakata and I.Shirovani
Experimental Technique of *In Situ* Observation for
Crystallization of Skutterudite Compounds under High
Temperature and High Pressure
Memoirs of Muroran Institute of Technology, **55** (2005)
15. (*in Japanese*).

2006

C.Sekine
Crystal Growth of Skutterudite Compounds under High
Pressure
The Review of High Pressure Science and Technology, **16**
(2006) 336. (*in Japanese*).

T.Hattori, T.Kinoshita, T.Narushima and K.Tsuji
Pressure-Induced Structural Change of Liquid CdTe up
to 23.5 GPa
Phys. Rev. B, **73** (2006) 054203.

K.Kusaba, T.Yagi, J.Yamaura, N.Miyajima and T.Kikegawa

Single-Crystal to Single-Crystal Phase Transition with a Large Deformation in $\text{Zn}(\text{OH})_2$ under High-Pressure
J. Chem. Phys. Lett., **437** (2007) 61.

A.Yamada, T.Inoue, S.Urakawa, K.Funakoshi, N.Funamori, T.Kikegawa, H.Ohfuji and T.Irifune

In situ X-Ray Experiment on the Structure of Hydrous Mg-Silicate Melt under High Pressure and High Temperature
Geophysical Res. Lett., **34** (2007)

T.Narushima, T.Hattori, T.Kinoshita, A.Hinzmann and K.Tsuji

Pressure Dependence of the Structure of Liquid Sn up to 19.4 GPa
Phys. Rev. B, **76** (2007) 104204.

S.Kawasaki, Y.Nojima, T.Yokomae, F.Okino and H.Touhara

Hardness of High-Pressure High-Temperature Treated Single-Walled Carbon Nanotubes
Physica B, **388** (2007) 59.

T.Hattori, K.Tsuji, Y.Miyata, T.Sugahara and F.Shimojo

Pressure-Induced Structural Change of Liquid InAs and the Systematics of Liquid III-V Compounds
Phys. Rev. B, **76** (2007) 144206.

C.Sekine

Crystal Growth of Skutterudite Compounds
KEK Proc., **7** (2007) 22. (*in Japanese*).

K.Kusaba

Hydrostatic Compression Experiments using MAX80
KEK Proceedings 2007-7, **7** (2007) 27. (*in Japanese*).

M.Aoki, F.Matsuura, N.Hamaya, K.Fuchizaki, Y.Asano and T.Kikegawa

Powder X-Ray Diffraction Technique using a Diamond Sample Container
KEK Proc., **7** (2007) 14. (*in Japanese*).

F.Matsuura, M.Aoki, N.Hamaya, K.Fuchizaki, Y.Asano and T.Kikegawa

Design of a Diamond Capsule for X-Ray Diffraction Measurement of Liquid and Experimental Results
KEK Proc., **7** (2007) 14. (*in Japanese*).

T.Kubo

Kinetics of High-Pressure Transformations in Earth's Mantle Minerals

The Review of High Pressure Science and Technology, **17** (2007) 159. (*in Japanese*).

S.Kawasaki, T.Hara and A.Iwata

He Intercalated C_{60} Solid under High Pressure
Chem. Phys. Lett., **447** (2007) 316.

K.Kusaba and T.Kikegawa

Phase Transitions of $\text{Zn}(\text{OH})_2$ under High Pressure and High Temperature
Solid State Commun., **148** (2008) 382.

A.Yamada and T.Inoue

Structural Change in Hydrous Mg-Silicate Melts Under High Pressure and the Role of Water
The Review of High Pressure Science and Technology, **18** (2008) 351. (*in Japanese*).

T.Higaki, M.Tomomasa, T.Hayakawa, A.Chiba and K.Tsuji

Pressure Dependence of the Structure of Liquid Copper Halides
J. Phys.: Condens. Matter, **20** (2008) 114106.

M.Tomomasa, T.Higaki, T.Hayakawa, A.Chiba and K.Tsuji

Pressure-Induced Structural Change in Liquid GeTe and Liquid GeSe
J. Phys. Conf. Ser., **121** (2008) 022007.

A.Chiba, M.Tomomasa, T.Higaki, T.Hayakawa and K.Tsuji

Pressure and Temperature Dependence of the Structure of Liquid Arsenic and Antimony
J. Phys. Conf. Ser., **98** (2008) 012011.

A.Chiba, M.Tomomasa, T.Higaki, T.Hayakawa, R.Takahashi and K.Tsuji

The Structure of Liquid Sb under Pressure
J. Phys. Conf. Ser., **121** (2008) 022019.

M.Matsushita, T.Inoue, I.Yoshimi, T.Kawamura, Y.Kono, T.Irifune, T.Kikegawa and F.Ono

Anomalous Variations in the Volume of $\text{Fe}_{69}\text{Ni}_{31}$ Invar Alloys under High Pressure and Temperature
Phys. Rev. B, **77** (2008) 064429.

A.Chiba and K.Tsuji

Pressure-Induced Structural Changes of Liquid Arsenic and Liquid IV-VI Compounds
Rev. High Pressure Sci. Tech., **18** (2008) 335. (*in Japanese*).

K.Kusaba and T.Kikegawa

Stable Phase with the $\alpha\text{-PbO}_2$ Type Structure in MgF_2 under High Pressure and High Temperature
Solid State Commun., **148** (2008) 440.

K.Kusaba and T.Kikegawa

In situ X-Ray Observation of Phase Transitions in ZnF_2 under High Pressure and High Temperature
Solid State Commun., **145** (2008) 279.

M.Imai and T.Kikegawa

In Situ Observation of the Formation of Si Clathrate $\text{Ba}_8\text{Si}_{46}$ at High Pressures and High Temperatures
Inorg. Chem., **47** (2008) 8881.

Y.Iwai, M.Hirose, R.Kano, S.Kawasaki, Y.Hattori and K.Takahashi
Synthesis and Structural Characterization of Alkali-Metal Intercalated Single-Walled Carbon Nanotubes
J. Phys. Chem. Solids, **69** (2008) 1199.

K.Arii, K.Igawa, H.Takahashi, M.Imai, M.Akaishi and I.Shirovani
Pressure Studies in Filled Skutterudite $\text{La}_{0.8}\text{Rh}_4\text{P}_{12}$
J. Phys. Conf. Ser., **121** (2008) 052014.

2009

K.Kusaba and T.Kikegawa
Debye Temperature of Gold under High Pressure Determined by X-Ray Powder Diffraction Method
Solid State Commun., **149** (2009) 371.

T.Hirayama, K.Nemoto, S.Hayase, Y.Mitsunaga, T.Matsuoka, T.Hattori and T.Kikegawa
Structural Analysis of Simple Base Oils under High Pressure using Synchrotron Radiation X-Ray Diffraction: First Trial
Tribology International, **42** (2009) 88.

A.Chiba, M.Tomomasa, T.Hayakawa, S.M.Bennington, A.C.Hannon and K.Tsuji
Pressure-Induced Suppression of the Peierls Distortion of Liquid As and GeX (X=S,Se,Te)
Phys. Rev. B, **80** (2009) 060201.

T.Inoue, I.Yoshimi, A.Yamada and T.Kikegawa
Time-Resolved X-Ray Diffraction Analysis of the Experimental Dehydration of Serpentine at High Pressure
J. Mineral. Petrol. Sci., **104** (2009) 105.

H.Kasai, T.Kawauchi, Y.Fukai, X.-W.Zhang, S.Kishimoto, T.Kikegawa, E.Ohtani and T.Okano
Measurement of Diffusion Process of Iron Atoms under High Pressure of Hydrogen by Time-Domain Analysis of Nuclear Resonant Scattering of X-Rays
Appl. Surf. Sci., **256** (2009) 984.

2010

R.Murao, M.Kikuchi, T.Atou, K.Kusaba, K.Fukuoka, K.Sugiyama, Y.Syono and T.Kikegawa
Superconducting Phase Prepared from Ta_3Si under High Pressure
J. Phys.: Conf. Ser., **215** (2010) 012139.

N.Hamaya, F.Matsuura, Y.Yamagata, K.Fuchizaki, T.Hase, T.Sakagami, A.Miyauchi and T.Kikegawa
Structural Change in Liquid SnI_4 under High Pressure
J. phys.: Conf. Ser., **215** (2010) 012079.

A.Chiba, M.Tomomasa, T.Hayakawa, A.Hinzmann, R.Takahashi, J.Nakamura, T.Tsukatani, T.Kumazawa and K.Tsuji
Relationship between Peierls Distortion and Medium-Range Order in Liquid Group-V Elements and Liquid Group-IV-VI Compounds
J. Phys.: Conf. Ser., **215** (2010) 012077.

T.Tsukatani, A.Chiba and K.Tsuji
Pressure-Induced Structural Change in Liquid $\text{Ge}_{0.15}\text{Te}_{0.85}$ alloy
J. Phys.: Conf. Ser., **215** (2010) 012076.

C.Sekine, T.Kachi, T.Yoshida, R.Abe, T.Namiki, K.Akahira and K.Ito
In-situ Observation of Crystallization of TSb_3 ($T=\text{Co}$, Rh and Ir) under High Temperatures and High Pressures
J. Phys.: Conf. Ser., **215** (2010) 012141.

S.Kawasaki, T.Hara, Y.Iwai, Y.Kanamori and A.Iwata
Structural Analyses of High-Pressure and High-Temperature Treated Double-Walled Carbon Nanotubes
J. Nanosci. Nanotech., **10** (2010) 3994.

T.Kubo, M.Kimura, T.Kato, M.Nishi, A.Tominaga, T.Kikegawa and K.Funakoshi
Plagioclase Breakdown as an Indicator for Shock Conditions of Meteorites
Nature Geoscience, **3** (2010) 41.

M.Matsushita, T.Inoue, I.Yoshimi, E.Yamaoka, T.Irifune, F.Ono, H.Ogiyama and T.Kikegawa
Pressure-Volume-Temperature Relationship of $\text{Fe}_{72}\text{Pt}_{28}$ Alloy under High Pressure and Temperature
J. phys.: Conf. Ser., **215** (2010) 012014.

J.Nakamura, A.Chiba and K.Tsuji
Pressure-Induced Structural Changes in Liquid $\text{Ge}_{33}\text{Te}_{67}$ and Liquid $\text{Ge}_{15}\text{Te}_{85}$
J. Phys. Soc. Jpn., **79** (2010) 064604.